

Woodworking bandsaw

HBS250

HBS355P

HBS310

HBS410P

HBS350

HBS450P

HBS400

HBS510P

HBS450

HBS610P

HBS500

HBS710P

HBS600

HBS700

HBS810

HBS250N

HBS250NC

HBS310N

HBS310NC

HBS350N

HBS350NC

BS350

HBS350H

HBS400N

HBS450N

HBS550N



WOODWORKING BANDSAWS

WOODWORKING BANDSAWS

Model HBS250 (MJ3425)

Description	10" band saw
Motor (W)	370
Blade length (mm)	1790 x 6-13 x 0.35
Table size (mm)	292 x 292
Sawblade tilt	0°- 45°
Wheel dia(mm)	255
Cutting width (mm)	245
Cuting depth (mm)	120
N.G. weight (kgs)	29/33
Packing size (mm)	880 x 440 x 340
Units/20' container	180



Model HBS310 (MJ343C)

Description	12-1/2" band saw
Motor (W)	550
Blade length (mm)	2240 x 6-20 x 0.52
Table size (mm)	500 x 400
Sawblade tilt	0°- 45°
Wheel dia(mm)	315
Cutting width (mm)	300
Cuting depth (mm)	160
N.G. weight (kgs)	74/79
Packing size (mm)	1100 x 500 x 400
Units/20' container	110

Model HBS350 (MJ343B)


Description	14" wood band saw
Motor (W)	750
Blade size (mm)	2400 x 6-20 x 0.52
Table size (mm)	500 x 400
Table tilt	0°- 45°
Wheel dia(mm)	350
Cutting width (mm)	335
Cutting depth (mm)	160
N.G. weight (kgs)	82/88
Packing size (mm)	1230X530X400
Units/20' container	85



Model HBS400 (MJ344C)

Description	16" wood band saw
Motor (W)	1500
Blade size (mm)	2950 x 6-20 x 0.52
Table size (mm)	500x400
Table tilt	0°- 45°
Wheel dia(mm)	400
Cutting width (mm)	375
Cutting depth (mm)	200
N.G. weight (kgs)	137/147
Packing size (mm)	1760X600X480
Units/20' container	48

WOODWORKING BANDSAWS



Model	HBS450 (MJ3445)	HBS500 (MJ345)
Description	18" wood band saw	20" wood band saw
Motor (W)	2200	2200
Blade size (mm)	3430 x 10-40 x 0.6	3500x10-40x0.62
Table size (mm)	595x495	595x495
Table tilt	0°- 45°	0°- 45°
Wheel dia(mm)	460	500
Cutting width (mm)	445	475
Cutting depth (mm)	330	280
N.G. weight (kgs)	210/250	245/285
Packing size (mm)	1910X550X730	1910x550x790
Units/20' container	30	20

Model	HBS600 (MJ346)
Description	24" wood band saw
Motor (W)	3000
Blade size (mm)	4080x10-40x0.65
Table size (mm)	595x495
Table tilt	0°- 45°
Wheel dia(mm)	600
Cutting width (mm)	560
Cutting depth (mm)	310
N.G. weight (kgs)	275/335
Packing size (mm)	2060x590x890
Units/20' container	18

Model	HBS700 (MJ347)	HBS810 (MJ348)
Description	27" wood band saw	32" wood band saw
Motor (W)	4500	4500
Blade size (mm)	4790x10-40x0.65	5643x38x0.65
Table size (mm)	750x600	1030x600
Table tilt	0°- 20°	0°- 20°
Wheel dia(mm)	700	815
Cutting width (mm)	682	800
Cutting depth (mm)	350	500
N.G. weight (kgs)	500/570	480/570
Packing size (mm)	2280x700x1090	2536x770x1220
Units/20' container	16	6

WOODWORKING BANDSAWS

N SERIES BANDSAW:

- New slope shape with deluxe fittings

Model	HBS250N(MJ3425N)
Description	New slope shape 10" wood band saw
Motor (W)	370(input)
Blade size (mm)	1790X6-13X0.35
Table size (mm)	340X340
Table tilt	0°- 45°
Wheel dia(mm)	255
Cutting width (mm)	245
Cutting depth (mm)	120
N.G. weight (kgs)	29/33
Packing size (mm)	880X440X340
Units/20' container	180

Main features

- New slope shape
- Precise and simple adjustment of the cutting height and the upper blade guide using large-size handwheels and a rack system.
- Quick change big aluminum rip fence.
- Big aluminum mitre gauge tilts 45degree to each side



HBS250NC(MJ3425NC) (with cabinet)



WOODWORKING BANDSAWS

Model HBS310N(MJ343CN)

Description	12-1/2" wood band saw
Motor (W)	550
Blade size (mm)	2270X6-20X0.52
Table size (mm)	500X400
Table tilt	0°-45°
Wheel dia(mm)	315
Cutting width (mm)	300
Cutting depth (mm)	180
N.G. weight (kgs)	77/83
Packing size (mm)	1120X540X400
Units/20' container	100

Main features

- New slope shape
- Precise and simple adjustment of the cutting height and the upper blade guide using large-size handwheels and a rack system.
- Quick change big aluminum rip fence.
- Big aluminum mitre gauge tilts 45degree to each side



HBS310NC (MJ343CNC)(with cabinet)



• Table tilting 0-45 degree

WOODWORKING BANDSAWS

Model HBS350N(MJ343BN)

Description	14" wood band saw
Motor (W)	750
Blade size (mm)	2480x6-20x0.52
Table size (mm)	500x400
Table tilt	0°-45°
Wheel dia(mm)	350
Cutting width (mm)	335
Cutting depth (mm)	200
N.G. weight (kgs)	85/92
Packing size (mm)	1270x570x440
Units/20' container	85

Main features

- New slope shape
- Precise and simple adjustment of the cutting height and the upper blade guide using large-size handwheels and a rack system.
- Quick change big aluminum rip fence.
- Big aluminum mitre gauge tilts 45degree to each side



with cabinet

HBS350NC (MJ343BNC)

Model BS350

Description	14" WOOD BANDSAW AMERICA STYLE 4SPEEDS
Motor (W)	550
Blade size (mm)	2375 x 10 x 0.6
Table size (mm)	350 x 350
Table tilt	0°-45°
Speed	4
Cutting width (mm)	350
Cutting depth (mm)	150
N.G. weight (kgs)	80/86
Packing size (mm)	1110 x 520 x 320
Units/20	154



WOODWORKING BANDSAWS

Model	HBS350H
Description	14" wood band saw
Motor (W)	850
Blade size (mm)	2620x6-16x0.52
Blade speed (m/s)	8/12
Table size (mm)	535x480
Table tilt	-5°- 45°
Wheel dia(mm)	350
Cutting width (mm)	325
Cutting depth (mm)	200
N.G. weight (kgs)	111/134
Packing size (mm)	1360x440x700
Units/20' container	60



Main features

- Cast iron upper & lower wheels fitted as standard for perfect working performance
- Brand-new Table Trunnion Structure with rigid and smooth performance
- Parallel fence with micro adjustment function
- Additional fence for thin piece facilitates you the access and the holding of your pieces of small width.
- Mobile kit with wheels for easier moving.
- Well designed Blade guide system with accurate micro adjustment
- Two belt speeds 8M/S and 12M/S to cope with all types of work
- Two dust ports for efficient extraction

WOODWORKING BANDSAWS

Model	HBS400N(MJ344N)
Description	16" wood band saw
Motor (W)	1500
Blade size (mm)	3050x6-20x0.52
Table size (mm)	535x485
Table tilt	0°- 45°
Wheel dia(mm)	400
Cutting width (mm)	375
Cutting depth (mm)	250
N.G. weight (kgs)	150/185
Packing size (mm)	1820x500x750
Units/20' container	33

Model	HBS450N(MJ345N)
Description	18" wood band saw
Motor (W)	2200
Blade size (mm)	3405x10-40x0.6
Table size (mm)	535x485
Table tilt	0°- 45°
Wheel dia(mm)	482
Cutting width (mm)	460
Cutting depth (mm)	280
N.G. weight (kgs)	205/250
Packing size (mm)	1910X550X790
Units/20' container	20

Main features

- New slope shape
- Quick clamping lever and blade tension adjustment on the back of the machine.
- Precise and simple adjustment of the cutting height and the upper blade guide using large-size handwheels and a rack system.
- Both upper and lower blade guide are molded on bearings for improved performance and extended blade life.
- Two windows to show the belt tension and blade running position.
- Smooth and flexible to tilt the working table



WOODWORKING BANDSAWS




Model	HBS510P
Description	Delux 20" wood bandsaw
Motor	3.5HP in 230V;3500W in 400V
Blade size (mm)	4100x19~38.1
Blade speed (m/s)	22
Table size (mm)	640x500
Extension table size (mm)	150x500
Table tilt	0°-45°
Wheel dia(mm)	510
Cutting width (mm)	500
Cutting depth (mm)	350
N.G. weight (kgs)	280/310
Packing size (mm)	930x725x2140
Units/20' container	18

Model	HBS610P
Description	Delux 24" wood bandsaw
Motor	3000W in 230V;4000W in 400V
Blade size (mm)	4590x19~38.1
Blade speed (m/s)	26
Table size (mm)	700x610
Extension table size (mm)	200x610
Table tilt	0°-45°
Wheel dia(mm)	610
Cutting width (mm)	600
Cutting depth (mm)	430
N.G. weight (kgs)	330/365
Packing size (mm)	1030x730x2218
Units/20' container	15

Model	HBS710P
Description	Delux 28" wood bandsaw
Motor	3000W in 230V;4000W in 400V
Blade size (mm)	5020X19~38.1
Blade speed (m/s)	26
Table size (mm)	900x700
Extension table size (mm)	200x700
Table tilt	0°-45°
Wheel dia(mm)	710
Cutting width (mm)	700
Cutting depth (mm)	430
N.G. weight (kgs)	382/442
Packing size (mm)	2250x745x1145
Units/20' container	14

WOODWORKING BANDSAWS



• INSIDE VIEW



• REAR SIDE VIEW

Main features

- Cast iron upper and lower wheels with braking motor fitted for perfect working performance
- Parallel fence with micro adjustment function and double reading by magnifier to position 2 sides of the blade of saw and to adapt itself to all the cuttings
- Two windows to show the saw blade tension and running position
- Big size working table area for perfect performance
- Curved shape doors for modern appearance
- Additional fence for thin piece facilitates you the access and the holding of your pieces of small width
- Quick clamping lever and blade tension adjustment on the back of the machine

WOODWORKING BANDSAWS

Model	HBS355P
Description	Delux 14" wood bandsaw
Motor	2HP
Blade size (mm)	2950x6~25.4
Blade speed (m/s)	14.7
Table size (mm)	535x435
Table tilt	0°-45°
Wheel dia(mm)	355
Cutting width (mm)	345
Cutting depth (mm)	235
N.G. weight (kgs)	100/106kgs (main body); 17.5/20kgs(cabinet stand)
Packing size (mm)	1450x580x445; 650x480x260
Units/20' container	65

Main features

- Cast iron upper and lower wheels with braking motor fitted for perfect working performance
- Three windows to show the saw blade tension and running position
- Curved shape doors for modern appearance
- Big size working table area for perfect performance
- Quick clamping lever and blade tension adjustment on the back of the machine
- Parallel fence with micro adjustment function and double reading by magnifier to position 2 sides of the blade of saw and to adapt itself to all the cuttings.
- Additional fence for thin piece facilitates you the access and the holding of your pieces of small width.



• Big size working table area.




• Table tilting solid design.

WOODWORKING BANDSAWS

Model	HBS410P
Description	Delux 16" wood bandsaw
Motor	3HP
Blade size (mm)	3345x9.5~38.1
Blade speed (m/s)	14.7
Table size (mm)	560x450
Extension table size (mm)	100x450
Table tilt	0°-45°
Wheel dia(mm)	420
Cutting width (mm)	410
Cutting depth (mm)	250
N.G. weight (kgs)	126/140
Packing size (mm)	720x530x1900
Units/20' container	35

Model	HBS450P
Description	Delux 18" wood bandsaw
Motor	3HP
Blade size (mm)	3607x12.5~38.1
Blade speed (m/s)	14.7
Table size (mm)	630x480
Extension table size (mm)	100x480
Table tilt	-10°-45°
Wheel dia(mm)	470
Cutting width (mm)	465
Cutting depth (mm)	280
N.G. weight (kgs)	162/180
Packing size (mm)	826x545x2070
Units/20' container	28



• Perfectly balanced solid cast iron wheels for exceptionally smooth running.

WOODWORKING BANDSAWS




Model	HBS510P
Description	Delux 20" wood bandsaw
Motor	3.5HP in 230V;3500W in 400V
Blade size (mm)	4100x19~38.1
Blade speed (m/s)	22
Table size (mm)	640x500
Extension table size (mm)	150x500
Table tilt	0°-45°
Wheel dia(mm)	510
Cutting width (mm)	500
Cutting depth (mm)	350
N.G. weight (kgs)	280/310
Packing size (mm)	930x725x2140
Units/20' container	18

Model	HBS610P
Description	Delux 24" wood bandsaw
Motor	3000W in 230V;4000W in 400V
Blade size (mm)	4590x19~38.1
Blade speed (m/s)	26
Table size (mm)	700x610
Extension table size (mm)	200x610
Table tilt	0°-45°
Wheel dia(mm)	610
Cutting width (mm)	600
Cutting depth (mm)	430
N.G. weight (kgs)	330/365
Packing size (mm)	1030x730x2218
Units/20' container	15

Model	HBS710P
Description	Delux 28" wood bandsaw
Motor	3000W in 230V;4000W in 400V
Blade size (mm)	5020X19~38.1
Blade speed (m/s)	26
Table size (mm)	900x700
Extension table size (mm)	200x700
Table tilt	0°-45°
Wheel dia(mm)	710
Cutting width (mm)	700
Cutting depth (mm)	430
N.G. weight (kgs)	382/442
Packing size (mm)	2250x745x1145
Units/20' container	14

WOODWORKING BANDSAWS



• INSIDE VIEW



• REAR SIDE VIEW

Main features

- Cast iron upper and lower wheels with braking motor fitted for perfect working performance
- Parallel fence with micro adjustment function and double reading by magnifier to position 2 sides of the blade of saw and to adapt itself to all the cuttings
- Two windows to show the saw blade tension and running position
- Big size working table area for perfect performance
- Curved shape doors for modern appearance
- Additional fence for thin piece facilitates you the access and the holding of your pieces of small width
- Quick clamping lever and blade tension adjustment on the back of the machine